

of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 21:42:38 ON 05 MAR 2006

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CAPLUS' ENTERED AT 21:42:55 ON 05 MAR 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 5 Mar 2006 VOL 144 ISS 11

FILE LAST UPDATED: 3 Mar 2006 (20060303/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s us 2004-0171572/pn

L1 1 US 2004-0171572/PN

(US2004171572/PN)

=> se lrn

SE IS NOT A RECOGNIZED COMMAND

The previous command name entered was not recognized by the system.

For a list of commands available to you in the current file, enter

"HELP COMMANDS" at an arrow prompt (=>).

=> s us 2004-0171572/pn

L2 1 US 2004-0171572/PN

(US2004171572/PN)

=> sel rn

E1 THROUGH E30 ASSIGNED

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

4.44

4.65

FILE 'REGISTRY' ENTERED AT 21:43:21 ON 05 MAR 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptamxgl614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	DEC 05	CASREACT(R) - Over 10 million reactions available
NEWS	4	DEC 14	2006 MeSH terms loaded in MEDLINE/LMEDLINE
NEWS	5	DEC 14	2006 MeSH terms loaded for MEDLINE file segment of TOXCENTER
NEWS	6	DEC 14	CA/CAPLUS to be enhanced with updated IPC codes
NEWS	7	DEC 21	IPC search and display fields enhanced in CA/CAPLUS with the IPC reform
NEWS	8	DEC 23	New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/USPAT2
NEWS	9	JAN 13	IPC 8 searching in IFIPAT, IFIUDB, and IFICDB
NEWS	10	JAN 13	New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to INPADOC
NEWS	11	JAN 17	Pre-1988 INPI data added to MARPAT
NEWS	12	JAN 17	IPC 8 in the WPI family of databases including WPIFV
NEWS	13	JAN 30	Saved answer limit increased
NEWS	14	JAN 31	Monthly current-awareness alert (SDI) frequency added to TULSA
NEWS	15	FEB 21	STN AnaVist, Version 1.1, lets you share your STN AnaVist visualization results
NEWS	16	FEB 22	Status of current WO (PCT) information on STN
NEWS	17	FEB 22	The IPC thesaurus added to additional patent databases on STN
NEWS	18	FEB 22	Updates in EPFULL; IPC 8 enhancements added
NEWS	19	FEB 27	New STN AnaVist pricing effective March 1, 2006
NEWS	20	FEB 28	MEDLINE/LMEDLINE reload improves functionality
NEWS	21	FEB 28	TOXCENTER reloaded with enhancements
NEWS	22	FEB 28	REGISTRY/ZREGISTRY enhanced with more experimental spectral property data
NEWS	23	MAR 01	INSPEC reloaded and enhanced
NEWS	24	MAR 03	Updates in PATDPA; addition of IPC 8 data without attributes
NEWS	EXPRESS		FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005. V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT http://download.cas.org/express/v8.0-Discover/
NEWS	HOURS		STN Operating Hours Plus Help Desk Availability
NEWS	INTER		General Internet Information
NEWS	LOGIN		Welcome Banner and News Items
NEWS	PHONE		Direct Dial and Telecommunication Network Access to STN
NEWS	WWW		CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation

STRUCTURE FILE UPDATES: 3 MAR 2006 HIGHEST RN 875814-08-7
DICTIONARY FILE UPDATES: 3 MAR 2006 HIGHEST RN 875814-08-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added, *
* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> s e1-e30

1 10332-17-9/BI
 (10332-17-9/RN)
1 107-10-8/BI
 (107-10-8/RN)
1 111333-96-1/BI
 (111333-96-1/RN)
1 153312-60-8/BI
 (153312-60-8/RN)
1 153312-64-2/BI
 (153312-64-2/RN)
1 153312-65-3/BI
 (153312-65-3/RN)
1 191980-70-8/BI
 (191980-70-8/RN)
1 191980-72-0/BI
 (191980-72-0/RN)
1 191980-74-2/BI
 (191980-74-2/RN)
1 191980-76-4/BI
 (191980-76-4/RN)
1 191980-77-5/BI
 (191980-77-5/RN)
1 191980-78-6/BI
 (191980-78-6/RN)
1 191980-79-7/BI
 (191980-79-7/RN)
1 191980-83-3/BI
 (191980-83-3/RN)
1 191981-18-7/BI
 (191981-18-7/RN)
1 50903-99-6/BI
 (50903-99-6/RN)
1 54793-75-8/BI
 (54793-75-8/RN)


1 638195-45-6/BI
 (638195-45-6/RN)
 1 638195-46-7/BI
 (638195-46-7/RN)
 1 638195-47-8/BI
 (638195-47-8/RN)
 1 638195-48-9/BI
 (638195-48-9/RN)
 1 638195-49-0/BI
 (638195-49-0/RN)
 1 638195-50-3/BI
 (638195-50-3/RN)
 1 638195-51-4/BI
 (638195-51-4/RN)
 1 638195-52-5/BI
 (638195-52-5/RN)
 1 638195-53-6/BI
 (638195-53-6/RN)
 1 638195-56-9/BI
 (638195-56-9/RN)
 1 638195-58-1/BI
 (638195-58-1/RN)
 1 638195-61-6/BI
 (638195-61-6/RN)
 1 638195-64-9/BI
 (638195-64-9/RN)

L3 30 (10332-17-9/BI OR 107-10-8/BI OR 111333-96-1/BI OR 153312-60-8/B
 I OR 153312-64-2/BI OR 153312-65-3/BI OR 191980-70-8/BI OR 19198
 0-72-0/BI OR 191980-74-2/BI OR 191980-76-4/BI OR 191980-77-5/BI
 OR 191980-78-6/BI OR 191980-79-7/BI OR 191980-83-3/BI OR 191981-1
 8-7/BI OR 50903-99-6/BI OR 54793-75-8/BI OR 638195-45-6/BI OR
 638195-46-7/BI OR 638195-47-8/BI OR 638195-48-9/BI OR 638195-49-0
 /BI OR 638195-50-3/BI OR 638195-51-4/BI OR 638195-52-5/BI OR
 638195-53-6/BI OR 638195-56-9/BI OR 638195-58-1/BI OR 638195-61-6
 /BI OR 638195-64-9/BI)

=> d 1-30

L3 ANSWER 1 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-64-9 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-[3-[[[(1S)-1-carboxy-5-(nitroamino)pentyl]amino]carbon
 yl]amino]propyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX
 NAME)
 FS STEREOSEARCH
 MF C43 H88 N5 O7
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 2 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-61-6 REGISTRY


ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-[3-[[[(1S)-1-(methoxycarbonyl)-5-(nitroamino)pentyl]amino]carbonyl]amino]propyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)-(9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C44 H90 N5 O7
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 3 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-58-1 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Butanaminium, N-[2,3-bis(tetradecyloxy)propyl]-4-hydroxy-N,N-dimethyl-(9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C37 H78 N O3
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 4 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-56-9 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-(3-hydroxypropyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-(9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C36 H76 N O3
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 5 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-53-6 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Butanaminium, 4-amino-N-[2,3-bis(tetradecyloxy)propyl]-N,N-dimethyl-
 (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C37 H79 N2 O2
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 6 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-52-5 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Butanaminium, N-[2,3-bis(tetradecyloxy)propyl]-N,N-dimethyl-4-
 [[(methylamino)carbonyl]amino]- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C39 H82 N3 O3
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L3 ANSWER 7 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-51-4 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-(carboxymethyl)-2,3-bis(hexadecyloxy)-N,N-dimethyl-
 (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C39 H80 N O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L3 ANSWER 8 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN

RN 638195-50-3 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Butanaminium, N-[2,3-bis(tetradecyloxy)propyl]-N,N-dimethyl-4-
 [[(methylamino)carbonyl]oxy]- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C39 H81 N2 O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L3 ANSWER 9 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-49-0 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N,N-dimethyl-N-[3-[[[(methylamino)carbonyl]oxy]propyl]-2,3-
 bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C38 H79 N2 O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 10 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-48-9 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN L-Phenylalanine, N-[[[2,3-bis(tetradecyloxy)propyl]dimethylammonio]acetyl]-
 L-methionyl-L-leucyl-, methyl ester (9CI) (CA INDEX NAME)
 FS PROTEIN SEQUENCE; STEREOSEARCH
 MF C56 H103 N4 O7 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 11 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-47-8 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN L-Leucine, N-[[[2,3-bis(tetradecyloxy)propyl]dimethylammonio]acetyl]-L-methionyl-, methyl ester (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C47 H94 N3 O6 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 12 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-46-7 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-[2-[[[(1S)-1-(methoxycarbonyl)-3-(methylthio)propyl]amino]-2-oxoethyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C41 H83 N2 O5 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


Absolute stereochemistry.




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 13 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-45-6 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-(carboxymethyl)-N,N-dimethyl-2,3-bis[(9Z)-9-octadecenyl]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C43 H84 N O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Double bond geometry as shown.



$$\text{Me}-(\text{CH}_2)_{13}-\text{O}-\text{CH}_2-\text{CH}(\text{Me})-\text{CH}_2-\text{N}^+(\text{Me})_3-(\text{CH}_2)_3-\text{NH}-\text{C}(=\text{O})-\text{NHMe}$$

```
L3 ANSWER 15 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-83-3 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-(3-aminopropyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C36 H77 N2 O2
CI COM
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
```



```
L3 ANSWER 16 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-79-7 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-(2-aminoethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C35 H75 N2 O2
CI COM
```

SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 17 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-78-6 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-[3-[[[(1S)-4-[[imino(nitroamino)methyl]amino]-1-(methoxycarbonyl)butyl]amino]carbonyl]amino]propyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)-(9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 1-Propanaminium, N-[3-[[[4-[[imino(nitroamino)methyl]amino]-1-(methoxycarbonyl)butyl]amino]carbonyl]amino]propyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)-, (1S)-

FS STEREOSEARCH


MF C44 H90 N7 O7

SR CA


LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 18 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-77-5 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N,N-dimethyl-N-[2-[[[(methylamino)carbonyl]oxy]ethyl]-2,3-bis(tetradecyloxy)-(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C37 H77 N2 O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 19 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-76-4 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N,N-dimethyl-N-[2-[(methylamino)carbonyl]amino]ethyl]-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C37 H78 N3 O3
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 20 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-74-2 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N,N-dimethyl-N-[2-oxo-2-(propylamino)ethyl]-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C38 H79 N2 O3
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 21 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-72-0 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-(2-ethoxy-2-oxoethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C37 H76 N O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 22 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-70-8 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-(carboxymethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C35 H72 N O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 23 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 153312-65-3 REGISTRY
ED Entered STN: 25 Feb 1994
CN 1-Propanaminium, 2,3-bis(hexadecyloxy)-N-(2-hydroxyethyl)-N,N-dimethyl-,
bromide (9CI) (CA INDEX NAME)
MF C39 H82 N O3 . Br
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
CRN (153985-20-7)




● Br⁻

3 REFERENCES IN FILE CA (1907 TO DATE)
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 24 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 153312-64-2 REGISTRY
ED Entered STN: 25 Feb 1994
CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-,
bromide (9CI) (CA INDEX NAME)
OTHER NAMES:
CN DMRIE
CN N-[1-(2,3-Ditetradecyloxy)propyl]-N,N-dimethyl-N-hydroxyethylammonium
bromide

DR 146659-77-0
 MF C35 H74 N O3 . Br
 CI COM
 SR CA
 LC STN Files: AGRICOLA, BIOSIS, CA, CAPLUS, IPA, MEDLINE, TOXCENTER,
 USPAT2, USPATFULL
 CRN (191980-81-1)




● Br⁻

143 REFERENCES IN FILE CA (1907 TO DATE)
 7 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 143 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 25 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 153312-60-8 REGISTRY
 ED Entered STN: 25 Feb 1994
 CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis[(9Z)-9-octadecenyl]-, bromide (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(9-octadecenyl)-, bromide, (Z,Z)-
 OTHER NAMES:
 CN DORIE
 FS STEREOSEARCH
 MF C43 H86 N O3 . Br
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 CRN (153985-18-3)

Double bond geometry as shown.




● Br⁻

9 REFERENCES IN FILE CA (1907 TO DATE)
 9 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 26 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 111333-96-1 REGISTRY
 ED Entered STN: 14 Nov 1987
 CN L-Phenylalanine, L-methionyl-L-leucyl-, methyl ester (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN L-Phenylalanine, N-(N-L-methionyl-L-leucyl)-, methyl ester

FS STEREOSEARCH
 MF C21 H33 N3 O4 S
 CI COM
 SR CA
 LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL
 (*File contains numerically searchable property data)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 27 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 54793-75-8 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN L-Leucine, L-methionyl-, methyl ester (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN L-Leucine, N-L-methionyl-, methyl ester
 FS STEREOSEARCH
 MF C12 H24 N2 O3 S
 CI COM
 LC STN Files: BEILSTEIN*, CA, CAPLUS, TOXCENTER, USPATFULL
 (*File contains numerically searchable property data)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 28 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 50903-99-6 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN L-Ornithine, N5-[imino(nitroamino)methyl]-, methyl ester (9CI) (CA INDEX NAME)
 OTHER NAMES:
 CN L-NAME

CN L-NAME
 CN N-Nitro-L-arginine methyl ester
 CN Nω-Nitro-L-arginine methyl ester
 CN Nω-Nitro-L-arginine methyl ester
 CN NAME
 CN NG-Nitro-L-arginine Me ester
 CN NG-Nitro-L-arginine methyl ester
 FS STEREOSEARCH
 DR 162715-84-6, 126265-24-5, 189639-12-1
 MF C7 H15 N5 O4
 CI COM
 LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, BEILSTEIN*, BIOSIS,
 BIOTECHNO, CA, CAPLUS, CASREACT, CHEMCATS, CIN, DIOGENES, EMBASE,
 IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, PROMT, PROUSDDR, RTECS*,
 SCISEARCH, TOXCENTER, USPAT2, USPATFULL
 (*File contains numerically searchable property data)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1916 REFERENCES IN FILE CA (1907 TO DATE)
 6 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 1921 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L3 ANSWER 29 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 10332-17-9 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN L-Methionine, methyl ester (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Methionine, methyl ester, L- (6CI, 7CI, 8CI)
 OTHER NAMES:
 CN (+)-L-Methionine methyl ester
 CN L-Methionine O-methyl ester
 CN Methionine methyl ester
 CN Methyl L-methioninate
 CN Methyl methioninate
 CN O-Methyl-L-methionine
 FS STEREOSEARCH
 DR 10331-68-7, 44898-04-6
 MF C6 H13 N O2 S
 CI COM
 LC STN Files: AGRICOLA, ANABSTR, BEILSTEIN*, BIOSIS, CA, CAOLD, CAPLUS,
 CASREACT, CHEMCATS, CHEMLIST, DDFU, DRUGU, EMBASE, GMELIN*, IFICDB,
 IFIPAT, IFIUDB, MEDLINE, TOXCENTER, USPAT2, USPATFULL
 (*File contains numerically searchable property data)
 Other Sources: EINECS**
 (**Enter CHEMLIST File for up-to-date regulatory information)

Absolute stereochemistry. Rotation (+).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

369 REFERENCES IN FILE CA (1907 TO DATE)
 8 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 373 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 3 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L3 ANSWER 30 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 107-10-8 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN 1-Propanamine (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Propylamine (8CI)
 OTHER NAMES:
 CN 1-Aminopropane
 CN 1-Propylamine
 CN Mono-n-propylamine
 CN Monopropylamine
 CN n-Propylamine
 CN NSC 7490
 CN Propan-1-ylamine
 FS 3D CONCORD
 DR 42939-71-9
 MF C3 H9 N
 CI COM
 LC STN Files: AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*, BIOSIS, BIOTECHNO, CA, CAOLD, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN, CSCHM, CSNB, DDFU, DETHERM*, DIPPR*, DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPPAT, ENCOMPPAT2, GMELIN*, HSDB*, IFICDB, IFIPAT, IFIUDB, MRCK*, MSDS-OHS, NAPRALERT, NIOSHTIC, PDLCOM*, PIRA, PROMT, PS, RTECS*, SPECINFO, SYNTHLINE, TOXCENTER, TULSA, ULIDAT, USPAT2, USPATFULL, VTB
 (*File contains numerically searchable property data)
 Other Sources: DSL**, EINECS**, TSCA**
 (**Enter CHEMLIST File for up-to-date regulatory information)

H₃C-CH₂-CH₂-NH₂

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

8806 REFERENCES IN FILE CA (1907 TO DATE)
 534 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 8817 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 6 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> s 13

1 10332-17-9/BI
 (10332-17-9/RN)
 1 107-10-8/BI
 (107-10-8/RN)
 1 111333-96-1/BI

(111333-96-1/RN)
 1 153312-60-8/BI
 (153312-60-8/RN)
 1 153312-64-2/BI
 (153312-64-2/RN)
 1 153312-65-3/BI
 (153312-65-3/RN)
 1 191980-70-8/BI
 (191980-70-8/RN)
 1 191980-72-0/BI
 (191980-72-0/RN)
 1 191980-74-2/BI
 (191980-74-2/RN)
 1 191980-76-4/BI
 (191980-76-4/RN)
 1 191980-77-5/BI
 (191980-77-5/RN)
 1 191980-78-6/BI
 (191980-78-6/RN)
 1 191980-79-7/BI
 (191980-79-7/RN)
 1 191980-83-3/BI
 (191980-83-3/RN)
 1 191981-18-7/BI
 (191981-18-7/RN)
 1 50903-99-6/BI
 (50903-99-6/RN)
 1 54793-75-8/BI
 (54793-75-8/RN)
 1 638195-45-6/BI
 (638195-45-6/RN)
 1 638195-46-7/BI
 (638195-46-7/RN)
 1 638195-47-8/BI
 (638195-47-8/RN)
 1 638195-48-9/BI
 (638195-48-9/RN)
 1 638195-49-0/BI
 (638195-49-0/RN)
 1 638195-50-3/BI
 (638195-50-3/RN)
 1 638195-51-4/BI
 (638195-51-4/RN)
 1 638195-52-5/BI
 (638195-52-5/RN)
 1 638195-53-6/BI
 (638195-53-6/RN)
 1 638195-56-9/BI
 (638195-56-9/RN)
 1 638195-58-1/BI
 (638195-58-1/RN)
 1 638195-61-6/BI
 (638195-61-6/RN)
 1 638195-64-9/BI
 (638195-64-9/RN)

L4

30 (10332-17-9/BI OR 107-10-8/BI OR 111333-96-1/BI OR 153312-60-8/B
 I OR 153312-64-2/BI OR 153312-65-3/BI OR 191980-70-8/BI OR 19198
 0-72-0/BI OR 191980-74-2/BI OR 191980-76-4/BI OR 191980-77-5/BI
 OR 191980-78-6/BI OR 191980-79-7/BI OR 191980-83-3/BI OR 191981-1
 8-7/BI OR 50903-99-6/BI OR 54793-75-8/BI OR 638195-45-6/BI OR
 638195-46-7/BI OR 638195-47-8/BI OR 638195-48-9/BI OR 638195-49-0
 /BI OR 638195-50-3/BI OR 638195-51-4/BI OR 638195-52-5/BI OR
 638195-53-6/BI OR 638195-56-9/BI OR 638195-58-1/BI OR 638195-61-6
 /BI OR 638195-64-9/BI)

=> file caplus		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	57.44	62.09

FILE 'CAPLUS' ENTERED AT 21:43:52 ON 05 MAR 2006
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 5 Mar 2006 VOL 144 ISS 11
 FILE LAST UPDATED: 3 Mar 2006 (20060303/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

```
=> s l4
L5      11248 L4

=> s 638195-45-6/rn
        1 638195-45-6
        0 638195-45-6D
L6      1 638195-45-6/RN
        (638195-45-6 (NOTL) 638195-45-6D )
```

=> file reg		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	4.82	66.91

FILE 'REGISTRY' ENTERED AT 21:45:14 ON 05 MAR 2006
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 3 MAR 2006 HIGHEST RN 875814-08-7
 DICTIONARY FILE UPDATES: 3 MAR 2006 HIGHEST RN 875814-08-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added,  *
```

* effective March 20, 2005. A new display format, IDERL, is now *
* available and contains the CA role and document type information. *
*

Structure search iteration limits have been increased. See HELP SLIMITS for details.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> s 638195-45-6/rn
L7 1 638195-45-6/RN

	SINCE FILE	TOTAL
COST IN U.S. DOLLARS	ENTRY	SESSION
FULL ESTIMATED COST	0.44	67.35

FILE 'CAPLUS' ENTERED AT 21:45:31 ON 05 MAR 2006
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 5 Mar 2006 VOL 144 ISS 11
FILE LAST UPDATED: 3 Mar 2006 (20060303/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s 638195-45-6/rn
1 638195-45-6
0 638195-45-6D
L8 1 638195-45-6/RN
(638195-45-6 (NOTL) 638195-45-6D)

=> d

L8 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2006 ACS on STN
AN 2003:1013127 CAPLUS
DN 140:65157
TI Complex cationic lipids having quaternary nitrogens therein
IN Wheeler, Carl J.
PA Vical Incorporated, USA
SO U.S., 36 pp., Cont.-in-part of U.S. Ser. No. 565,756, abandoned.
CODEN: USXXAM
DT Patent
LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	---	-----	-----	-----
PI	US 6670332	B1	20031230	US 1998-92486	19980605
	CA 2237316	AA	19970605	CA 1996-2237316	19961127
	US 2004171572	A1	20040902	US 2003-748853	20031230
PRAI	US 1995-565756	B2	19951130		
	US 1998-92486	A3	19980605		

OS MARPAT 140:65157

RE.CNT 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

5.50

72.85

FILE 'CAPLUS' ENTERED AT 21:46:16 ON 05 MAR 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 5 Mar 2006 VOL 144 ISS 11

FILE LAST UPDATED: 3 Mar 2006 (20060303/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l4

L9 11248 L4

=> s l9 and cancer

271563 CANCER

L10 130 L9 AND CANCER

=> s l9 (L) cancer

271563 CANCER

L11 31 L9 (L) CANCER

=> d 20-31

L11 ANSWER 20 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1999:511053 CAPLUS

DN 131:161615

TI Systemic delivery of serum stable plasmid lipid particles for cancer therapy

IN Maclachlan, Ian; Graham, Roger

PA Inex Pharmaceuticals Corporation, Can.

SO PCT Int. Appl., 66 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9939741	A2	19990812	WO 1999-CA90	19990203
	WO 9939741	A3	19990930		
	W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
	RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
	CA 2321837	AA	19990812	CA 1999-2321837	19990203
	AU 9924057	A1	19990823	AU 1999-24057	19990203
	AU 749881	B2	20020704		
	EP 1053023	A2	20001122	EP 1999-903557	19990203
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	JP 2002502831	T2	20020129	JP 2000-530238	19990203
	US 2005118253	A1	20050602	US 2004-954858	20040929
PRAI	US 1998-73598P	P	19980203		
	US 1998-86917P	P	19980527		
	US 1998-101429P	P	19980922		
	US 1998-112384P	P	19981214		
	US 1999-243102	A	19990202		
	WO 1999-CA90	W	19990203		

L11 ANSWER 21 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1999:355754 CAPLUS

DN 131:18016

TI Treatment of cancer using cytokine-expressing polynucleotides and compositions therefor

IN Horton, Holly; Parker, Suezanne; Manthorpe, Marston; Felgner, Philip

PA Vical, Inc., USA

SO PCT Int. Appl., 188 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9926663	A2	19990603	WO 1998-US24830	19981120
	WO 9926663	A3	20000106		
	W: CA, JP, US				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	CA 2309766	AA	19990603	CA 1998-2309766	19981120
	EP 1032428	A2	20000906	EP 1998-960333	19981120
	EP 1032428	B1	20030618		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	JP 2001523480	T2	20011127	JP 2000-521864	19981120
	AT 243045	E	20030715	AT 1998-960333	19981120
	EP 1442750	A1	20040804	EP 2003-12772	19981120
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
PRAI	US 1997-67087P	P	19971120		
	US 1998-79914P	P	19980330		
	US 1998-100820P	P	19980915		
	EP 1998-960333	A3	19981120		
	WO 1998-US24830	W	19981120		

L11 ANSWER 22 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1998:118628 CAPLUS
 DN 128:167421
 TI Preparation of substituted imidazoles having anti-cancer and cytokine inhibitory activity
 IN Selnick, Harold G.; Claremon, David A.; Liverton, Nigel J.
 PA Merck and Co., Inc., USA
 SO U.S., 51 pp.
 CODEN: USXXAM
 DT Patent
 LA English
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	US 5717100	A	19980210	US 1996-717955	19960923
	US 6083949	A	20000704	US 1998-13527	19980126
PRAI	US 1995-5059P	P	19951006		
	US 1995-5063P	P	19951006		
	US 1996-717955	A2	19960923		

OS MARPAT 128:167421
 RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 23 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1998:15295 CAPLUS
 DN 128:175861
 TI ZR-75-1 human breast cancer cells: expression of inducible nitric oxide synthase and effect of tamoxifen and phorbol ester on nitric oxide production
 AU Alalami, O.; Martin, J. H. J.
 CS School of Health Sciences, Division of Biomedical Sciences, University of Wolverhampton, Wolverhampton, WV1 1DJ, UK
 SO Cancer Letters (Shannon, Ireland) (1998), 123(1), 99-105
 CODEN: CALEDQ; ISSN: 0304-3835
 PB Elsevier Science Ireland Ltd.
 DT Journal
 LA English

RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 24 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1997:669279 CAPLUS
 DN 127:326078
 TI NG-nitro-L-arginine methyl ester inhibits bone metastasis after modified intracardiac injection of human breast cancer cells in a nude mouse model
 AU Iwasaki, Teruo; Higashiyama, Masahiko; Kuriyama, Keiko; Sasaki, Akira; Mukai, Mutsuko; Shinkai, Kiyoko; Horai, Takeshi; Matsuda, Hikaru; Akedo, Hitoshi
 CS Department of Tumor Biochemistry, Osaka Medical Center for Cancer and Cardiovascular Diseases (formerly The Center for Adult Diseases, Osaka), Osaka, 537, Japan
 SO Japanese Journal of Cancer Research (1997), 88(9), 861-866
 CODEN: JJCREP; ISSN: 0910-5050
 PB Japanese Cancer Association
 DT Journal
 LA English

RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L11 ANSWER 25 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1997:351075 CAPLUS
 DN 126:317379
 TI Substituted imidazoles having anti-cancer and cytokine inhibitory activity
 IN Selnick, Harold G.; Claremon, David A.; Liverton, Nigel J.
 PA Merck and Co. Inc., USA; Selnick, Harold G.; Claremon, David A.; Liverton,

Nigel J.
 SO PCT Int. Appl., 137 pp.
 CODEN: PIXXD2
 DT Patent
 LA English
 FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9712876	A1	19970410	WO 1996-US15880	19961002
	W: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, HU, IL, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TM, TR, TT, UA, US, UZ, VN				
	RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
	CA 2234066	AA	19970410	CA 1996-2234066	19961002
	CA 2234066	C	20051213		
	AU 9675143	A1	19970428	AU 1996-75143	19961002
	AU 702146	B2	19990211		
	EP 854870	A1	19980729	EP 1996-937654	19961002
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
	CN 1203590	A	19981230	CN 1996-198718	19961002
	CN 1117082	B	20030806		
	JP 11514353	T2	19991207	JP 1996-514428	19961002
	IL 123950	A1	20010430	IL 1996-123950	19961002
	SK 282496	B6	20020205	SK 1998-435	19961002
	EE 3681	B1	20020415	EE 1998-83	19961002
	PL 184819	B1	20021231	PL 1996-326025	19961002
	JP 3382951	B2	20030304	JP 1997-514428	19961002
	CZ 292707	B6	20031112	CZ 1998-1043	19961002
	NO 9801528	A	19980605	NO 1998-1528	19980403
PRAI	US 1995-5059P	P	19951006		
	US 1995-5063P	P	19951006		
	GB 1996-2907	A	19960213		
	GB 1996-2975	A	19960213		
	WO 1996-US15880	W	19961002		
OS	MARPAT 126:317379				

L11 ANSWER 26 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1996:654418 CAPLUS
 DN 125:338808
 TI A new cationic liposome DNA complex enhances the efficiency of arterial gene transfer in vivo
 AU Stephan, Dominique J.; Yang, Zhi-Yong; San, Hong; Simari, Robert D.; Wheeler, Carl J.; Felgner, Philip L.; Gordon, David; Nabel, Gary J.; Nabel, Elizabeth G.
 CS Department Internal Medicine, University Michigan, Ann Arbor, MI, 48109-0644, USA
 SO Human Gene Therapy (1996), 7(15), 1803-1812
 CODEN: HGTHE3; ISSN: 1043-0342
 PB Liebert
 DT Journal
 LA English

L11 ANSWER 27 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1995:645758 CAPLUS
 DN 123:102145
 TI Cancer gene therapy using plasmid DNA: safety evaluation in rodents and non-human primates
 AU Parker, Suezanne E.; Vahlsing, H. Lee; Serfilippi, Laurie M.; Franklin, Craig L.; Doh, Soeun G.; Gromkowski, Stanislaw H.; Lew, Denise; Manthorpe, Marston; Norman, Jon
 CS Vical Inc., San Diego, CA, 92121, USA
 SO Human Gene Therapy (1995), 6(5), 575-90
 CODEN: HGTHE3; ISSN: 1043-0342

DT Journal
LA English

L11 ANSWER 28 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1995:354446 CAPLUS
DN 122:133867
TI Preparation of peptide derivatives as cancer metastasis inhibitors
IN Mori, Hideto; Komazawa, Hiroyuki; Kojima, Masayoshi; Saiki, Ikuo; Azuma, Ichiro
PA Fuji Photo Film Co Ltd, Japan
SO Jpn. Kokai Tokkyo Koho, 9 pp.
CODEN: JKXXAF
DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 06321987	A2	19941122	JP 1993-111717	19930513
PRAI	JP 1993-111717		19930513		
OS	MARPAT 122:133867				

L11 ANSWER 29 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1992:549670 CAPLUS
DN 117:149670
TI Increased exposure to dietary amines and nitrate in a population at high risk of esophageal and gastric cancer in Kashmir (India)
AU Siddiqi, Maqsood; Kumar, Rajiv; Fazili, Zia; Spiegelhalder, Bertold; Preussmann, Rudolf
CS Dep. Biochem., Univ. Kashmir, Srinagar, India
SO Carcinogenesis (1992), 13(8), 1331-1335
CODEN: CRNGDP; ISSN: 0143-3334
DT Journal
LA English

L11 ANSWER 30 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1978:610125 CAPLUS
DN 89:210125
TI N-nitroso compounds from the reaction of primary amines with nitrite and thiocyanate
AU Tannenbaum, S. R.; Wishnok, J. S.; Hovis, J. S.; Bishop, W. W.
CS Dep. Nutr. Food Sci., Massachusetts Inst. Technol., Cambridge, MA, USA
SO IARC Scientific Publications (1978), 19(Environ. Aspects N-Nitroso Compd.), 155-9
CODEN: IARCCD; ISSN: 0300-5038
DT Journal
LA English

L11 ANSWER 31 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
AN 1978:99314 CAPLUS
DN 88:99314
TI Platinum-containing materials useful in treating malignant tumors
IN Tobe, Martin Leslie; Khokhar, Abdul Rauf; Braddock, Peter David Michael
PA Rustenburg Platinum Mines Ltd., S. Afr.
SO Ger. Offen., 21 pp.
CODEN: GWXXBX
DT Patent
LA German
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 2715492	A1	19771020	DE 1977-2715492	19770406
	DE 2715492	C2	19890914		
	GB 1585103	A	19810225	GB 1976-13888	19760406
	ZA 7702020	A	19781227	ZA 1977-2020	19770404
	NL 7703752	A	19771010	NL 1977-3752	19770405

FR 2347378	A1	19771104	FR 1977-10204	19770405
FR 2347378	B1	19810320		
US 4119653	A	19781010	US 1977-784797	19770405
BE 853296	A1	19770801	BE 1977-176461	19770406
JP 52156821	A2	19771227	JP 1977-39902	19770406
JP 63020805	B4	19880430		
CH 631431	A	19820813	CH 1977-4362	19770406
US 4182724	A	19800108	US 1978-934990	19780818
CH 633961	A	19830114	CH 1981-1393	19810302
PRAI GB 1976-13888	A	19760406		
US 1977-784797	A1	19770405		
CH 1977-4362	A	19770406		
OS MARPAT 88:99314				

=> s l4

L12 11248 L4

=> s l12 (L) cancer

271563 CANCER

L13 31 L12 (L) CANCER

=> d 20-31 bib abs hitstr

L13 ANSWER 20 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1999:511053 CAPLUS

DN 131:161615

TI Systemic delivery of serum stable plasmid lipid particles for cancer therapy

IN MacLachlan, Ian; Graham, Roger

PA Inex Pharmaceuticals Corporation, Can.

SO PCT Int. Appl., 66 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 2

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9939741	A2	19990812	WO 1999-CA90	19990203
	WO 9939741	A3	19990930		
	W:	AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM			
	RW:	GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG			
	CA 2321837	AA	19990812	CA 1999-2321837	19990203
	AU 9924057	A1	19990823	AU 1999-24057	19990203
	AU 749881	B2	20020704		
	EP 1053023	A2	20001122	EP 1999-903557	19990203
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI			
	JP 2002502831	T2	20020129	JP 2000-530238	19990203
	US 2005118253	A1	20050602	US 2004-954858	20040929
PRAI	US 1998-73598P	P	19980203		
	US 1998-86917P	P	19980527		
	US 1998-101429P	P	19980922		
	US 1998-112384P	P	19981214		
	US 1999-243102	A	19990202		
	WO 1999-CA90	W	19990203		
AB	The present invention relates to methods and compns. for treating neoplasia in a mammal and comprises administering to said mammal a				

serum-stable nucleic acid-lipid particle comprising a nucleic acid portion that is fully encapsulated within the lipid portion, wherein said administration is by injection at an injection site that is distal to said neoplasia in said mammal.


IT 153312-64-2, Dmrie

RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOI (Biological study); PROC (Process); USES (Uses)

(systemic delivery of serum stable plasmid lipid particles for cancer therapy)

RN 153312-64-2 CAPLUS

CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-, bromide (9CI) (CA INDEX NAME)



● Br⁻

L13 ANSWER 21 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1999:355754 CAPLUS

DN 131:18016

TI Treatment of cancer using cytokine-expressing polynucleotides and compositions therefor

IN Horton, Holly; Parker, Suezanne; Manthorpe, Marston; Felgner, Philip

PA Vical, Inc., USA

SO PCT Int. Appl., 188 pp.

CODEN: PIXXD2

DT Patent

LA English

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 9926663	A2	19990603	WO 1998-US24830	19981120
	WO 9926663	A3	20000106		
	W: CA, JP, US				
	RW: AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
	CA 2309766	AA	19990603	CA 1998-2309766	19981120
	EP 1032428	A2	20000906	EP 1998-960333	19981120
	EP 1032428	B1	20030618		
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
	JP 2001523480	T2	20011127	JP 2000-521864	19981120
	AT 243045	E	20030715	AT 1998-960333	19981120
	EP 1442750	A1	20040804	EP 2003-12772	19981120
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI, CY				
PRAI	US 1997-67087P	P	19971120		
	US 1998-79914P	P	19980330		
	US 1998-100820P	P	19980915		
	EP 1998-960333	A3	19981120		
	WO 1998-US24830	W	19981120		

AB The present invention provides a pharmaceutical composition, comprising a non-infectious, non-integrating polynucleotide construct comprising a polynucleotide encoding an interferon ω and one or more cationic compds. The present invention also provides methods of treating cancer in a mammal, comprising administering into a tissue of the mammal a


non-infectious, non-integrating polynucleotide construct comprising a polynucleotide encoding a cytokine. In addition, the present invention also relates to the methodol. for selective transfection of malignant cells with polynucleotides expressing therapeutic or prophylactic mols. in intracavity tumor bearing mammals. More specifically, the present invention provides a methodol. for the suppression of an intra-cavity dissemination of malignant cells, such as i.p. dissemination.

IT 153312-64-2

RL: PEP (Physical, engineering or chemical process); THU (Therapeutic use); BIOL (Biological study); PROC (Process); USES (Uses)
(gene therapy of **cancer** using cytokine-expressing polynucleotides)

RN 153312-64-2 CAPLUS

CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-, bromide (9CI) (CA INDEX NAME)



● Br⁻

L13 ANSWER 22 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1998:118628 CAPLUS

DN 128:167421

TI Preparation of substituted imidazoles having anti-cancer and cytokine inhibitory activity

IN Selnick, Harold G.; Claremon, David A.; Liverton, Nigel J.

PA Merck and Co., Inc., USA

SO U.S., 51 pp.



CODEN: USXXAM

DT Patent

LA English

FAN.CNT 3

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
PI	US 5717100	A	19980210	US 1996-717955	19960923
	US 6083949	A	20000704	US 1998-13527	19980126
PRAI	US 1995-5059P	P	19951006		
	US 1995-5063P	P	19951006		
	US 1996-717955	A2	19960923		
OS	MARPAT 128:167421				
GI					



- AB The title compds. [I; AR = 6-10 membered aryl; X, X1 = (CH2)mY(CH2)n (wherein n, m = 0-4; n + m = 0-6; Y = a direct bond, O, S(O)y, etc.; y = 0-2); HETCy = 4-6 membered non-aromatic heterocyclyl containing only N atom; R, R2 = halo, OH, CONH2, etc.; R1 = OH, CN, CF3, etc.; R3 = H, C1-6 alkyl, etc.], useful for treating cancer, cytokine mediated diseases, inflammation, osteoporosis, bone resorption and Crohn's disease, were prepared. Thus, treatment of 4-pyridylcarbinol tert-butyldimethylsilyl ether with BuLi/hexanes and (iPr)2NH in THF followed by addition of 4-fluoro-N,O-dimethyl benzhydroxamide, and reaction of the resulting 1-(4-fluorophenyl)-2-hydroxy-2-pyridin-4-ylethanone tert-butyldimethylsilyl ether with N-tert-butoxycarbonyl-4-piperidinecarbaldehyde in the presence of CuOAc and NH4OAc in AcOH afforded the title compound II. Compds. I are effective in the treatment of cancer at 0.01-100 mg/kg.
- IT 107-10-8, n-Propylamine, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (preparation of substituted imidazoles having anti-cancer and cytokine inhibitory activity)
- RN 107-10-8 CAPLUS
- CN 1-Propanamine (9CI) (CA INDEX NAME)

H₃C-CH₂-CH₂-NH₂

RE.CNT 11 THERE ARE 11 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT


- L13 ANSWER 23 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
- AN 1998:15295 CAPLUS
- DN 128:175861
- TI ZR-75-1 human breast cancer cells: expression of inducible nitric oxide synthase and effect of tamoxifen and phorbol ester on nitric oxide production
- AU Alalami, O.; Martin, J. H. J.
- CS School of Health Sciences, Division of Biomedical Sciences, University of Wolverhampton, Wolverhampton, WV1 1DJ, UK
- SO Cancer Letters (Shannon, Ireland) (1998), 123(1), 99-105
 CODEN: CALEDQ; ISSN: 0304-3835
- PB Elsevier Science Ireland Ltd.

DT Journal
 LA English
 AB The existence of the L-arginine-nitric oxide pathway was investigated in ZR-75-1 human breast cancer cells. The presence of inducible nitric oxide synthase in these cells was confirmed by staining with an anti-iNOS antibody. ZR-75-1 cells spontaneously produced nitric oxide (NO) and this production could be significantly ($P < 0.001$) enhanced by L-arginine (0.01-10 mM) and was inhibited by L-NAME (2 mM). Stimulating the cells with phorbol 12-myristate 13-acetate (PMA) (200-1000 nM) resulted in a significant ($P < 0.001$) increase in NO₂- secreted into the medium. Although treatment of the same cells with tamoxifen (10-10-10⁻⁶ M) had no effect on NO production, tamoxifen was able to significantly ($P < 0.001$) down-regulate PMA-enhanced nitrite production. Our results suggest that tamoxifen could play a role in the biol. of nitric oxide in breast tumors.

IT 50903-99-6, L-NAME
 RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); BIOL (Biological study)
 (inducible nitric oxide synthase expression and tamoxifen and phorbol ester effect on nitric oxide production in ZR-75-1 human breast cancer cells)

RN 50903-99-6 CAPLUS
 CN L-Ornithine, N5-[imino(nitroamino)methyl]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RE.CNT 28 THERE ARE 28 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

L13 ANSWER 24 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1997:669279 CAPLUS
 DN 127:326078
 TI NG-nitro-L-arginine methyl ester inhibits bone metastasis after modified intracardiac injection of human breast cancer cells in a nude mouse model
 AU Iwasaki, Teruo; Higashiyama, Masahiko; Kuriyama, Keiko; Sasaki, Akira; Mukai, Mutsuko; Shinkai, Kiyoko; Horai, Takeshi; Matsuda, Hikaru; Akedo, Hitoshi
 CS Department of Tumor Biochemistry, Osaka Medical Center for Cancer and Cardiovascular Diseases (formerly The Center for Adult Diseases, Osaka), Osaka, 537, Japan
 SO Japanese Journal of Cancer Research (1997), 88(9), 861-866
 CODEN: JJCREP; ISSN: 0910-5050
 PB Japanese Cancer Association
 DT Journal
 LA English
 AB We investigated the effects of NG-nitro-L-arginine-Me ester (L-NAME), a nitric oxide synthase (NOS) inhibitor, on bone metastasis of human breast cancer, MDA-231 cells. Tumor cells (2+105 cells in 0.2 mL of phosphate-buffered saline; PBS) were injected through the diaphragm into the left ventricle of the heart of laparotomized nude mice (male 5-wk-old ICR-nu/nu). L-NAME (2 mg/mouse/injection in 0.1 mL of PBS) was given i.p. to mice 6 h and 3 h before and immediately, 3 h, 6 h, 18 h and 21 h after the intracardiac injection of tumor cells. As a control, 0.1 mL of PBS was injected instead of L-NAME. The effect of NG-nitro-D-arginine-Me ester (D-NAME; 2 mg/mouse/injection), an inactive analog of L-NAME, was also investigated to evaluate the specificity of L-NAME action. Radiog. examination 31 days after the tumor-cell injection showed that the incidence

and number of osteolytic bone metastases and the number of bones with metastasis in L-NAME-treated mice were significantly reduced compared with those in PBS-treated mice ($P < 0.05$). The differences between PBS-treated and D-NAME-treated mice were not significant. Our findings suggest that specific and appropriate NOS inhibitors may represent a new pharmacol. approach to therapy for cancer patients at risk of developing osteolytic bone metastases.

IT 50903-99-6, L-NAME


RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(L-NAME inhibits bone metastasis of human breast cancer)

RN 50903-99-6 CAPLUS

CN L-Ornithine, N5-[imino(nitroamino)methyl]-, methyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L13 ANSWER 25 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1997:351075 CAPLUS

DN 126:317379

TI Substituted imidazoles having anti-cancer and cytokine inhibitory activity

IN Selnick, Harold G.; Claremon, David A.; Liverton, Nigel J.

PA Merck and Co. Inc., USA; Selnick, Harold G.; Claremon, David A.; Liverton, Nigel J.

SO PCT Int. Appl., 137 pp.

CODEN: PIXXD2



DT Patent

LA English

FAN.CNT 3

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9712876	A1	19970410	WO 1996-US15880	19961002
W: AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GE, HU, IL, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, TJ, TM, TR, TT, UA, US, UZ, VN				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG				
CA 2234066	AA	19970410	CA 1996-2234066	19961002
CA 2234066	C	20051213		
AU 9675143	A1	19970428	AU 1996-75143	19961002
AU 702146	B2	19990211		
EP 854870	A1	19980729	EP 1996-937654	19961002
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, PT, IE, FI				
CN 1203590	A	19981230	CN 1996-198718	19961002
CN 1117082	B	20030806		
JP 11514353	T2	19991207	JP 1996-514428	19961002
IL 123950	A1	20010430	IL 1996-123950	19961002
SK 282496	B6	20020205	SK 1998-435	19961002
EE 3681	B1	20020415	EE 1998-83	19961002
PL 184819	B1	20021231	PL 1996-326025	19961002
JP 3382951	B2	20030304	JP 1997-514428	19961002

	CZ 292707	B6	20031112	CZ 1998-1043	19961002
	NO 9801528	A	19980605	NO 1998-1528	19980403
PRAI	US 1995-5059P	P	19951006		
	US 1995-5063P	P	19951006		
	GB 1996-2907	A	19960213		
	GB 1996-2975	A	19960213		
	WO 1996-US15880	W	19961002		
OS	MARPAT 126:317379				
GI					



AB Compds. of formula I and their pharmaceutically acceptable salts are disclosed [wherein Ar = aromatic group containing 6-10 atoms; X, X' = (CH₂)_mY(CH₂)_n; m, n = 0-4; (m+n) = 0-6; Y = bond, O, S, SO, SO₂, CO, OCO, COO, NH, CONH, etc.; Het = 4- to 10-membered non-aromatic heterocycle containing

≥ 1 N atom plus 0-2 addition N and 0-1 O or S atoms; Rx = H, (un)substituted alkyl, alkoxy, or alkanoyl; R, R' = halo, OH, (un)substituted alkyl or NH₂, CF₃, SH, NO₂, (hetero)aryl, etc.; R' = OH, (un)substituted alkyl, heterocyclyl, amino, (hetero)aryl, etc.]. A pharmaceutical composition is also included, as are methods of treating cancer and cytokine-mediated diseases. A total of 27 synthetic examples are given, and approx. 50 invention compds. are described and/or claimed. For instance, 4-Pyr-CH₂O-TBDMS [4-Pyr = 4-pyridyl, TBDMS = SiMe₂Bu-tert] in THF was treated with LDA and then with 4-FC₆H₄CONMeOMe to give 4-Pyr-CH(O-TBDMS)COC₆H₄F-4. This compound underwent cyclocondensation with N-(tert-butoxycarbonyl)piperidine-4-carboxaldehyde and NH₄OAc in the presence of Cu(OAc)₂ to give title compound II. In an in vitro test for Ras kinase activity, I had IC₅₀ values in the range of 0.001 mM to 1.5 mM (no specific data).


IT 107-10-8, 1-Propylamine, reactions

RL: RCT (Reactant); RACT (Reactant or reagent)


(starting material; preparation of substituted imidazoles with anti-cancer and cytokine inhibitory activity)

RN 107-10-8 CAPLUS

CN 1-Propanamine (9CI) (CA INDEX NAME)



L13 ANSWER 26 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1996:654418 CAPLUS
 DN 125:338808
 TI A new cationic liposome DNA complex enhances the efficiency of arterial gene transfer in vivo
 AU Stephan, Dominique J.; Yang, Zhi-Yong; San, Hong; Simari, Robert D.; Wheeler, Carl J.; Felgner, Philip L.; Gordon, David; Nabel, Gary J.; Nabel, Elizabeth G.
 CS Department Internal Medicine, University Michigan, Ann Arbor, MI, 48109-0644, USA
 SO Human Gene Therapy (1996), 7(15), 1803-1812
 CODEN: HGTHE3; ISSN: 1043-0342
 PB Liebert
 DT Journal
 LA English
 AB An important goal of gene therapy for cardiovascular diseases and cancer is the development of effective vectors for catheter-based gene delivery. Although adenoviral vectors have proven effective for this purpose in animal models, the ability to achieve comparable gene transfer with nonviral vectors would provide potentially desirable safety and toxicity features for clin. studies. In this report, we describe the use of a new cationic DNA-liposome complex using an improved expression vector and lipid, N-(3-aminopropyl)-N,N-dimethyl-2,3-bis(dodecyloxy)-1-propaniminium bromide/dioleoyl phosphatidylethanolamine (GAP-DL-RIE/DOPE) to optimize catheter-mediated gene transfer in porcine arteries. The efficiency of this vector was compared to DNA alone, DNA with a previously described cationic liposome complex, (+)-N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-1-propanaminium bromide (DMRIE/DOPE), and a replication-defective adenoviral vector in a porcine artery gene transfer model. When used in optimal ratios, GAP-DL-RIE/DOPE liposomes provided a 15-fold higher level of gene expression in arteries compared to DNA alone or DMRIE/DOPE. Gene expression was observed in intimal and medial cells. However, when compared to adenoviral vectors (1010 pfu/mL), gene expression following GAP-DL-RIE/DOPE transfection was .apprx.20-fold lower. Following i.v. injection of GAP-DL-RIE/DOPE in mice, biochem., hematol., and histopathol. abnormalities were not observed. Significant improvements in the efficacy of arterial gene expression can be achieved by optimization of transfection conditions with DNA-liposome complexes in vivo that may prove useful for arterial gene delivery in cardiovascular diseases and cancer.
 IT 153312-64-2
 RL: THU (Therapeutic use); BIOL (Biological study); USES (Uses) (cationic liposome/DNA complexes for arterial gene transfer in cardiovascular diseases and cancer)
 RN 153312-64-2 CAPLUS
 CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-, bromide (9CI) (CA INDEX NAME)



L13 ANSWER 27 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1995:645758 CAPLUS

DN 123:102145

TI Cancer gene therapy using plasmid DNA: safety evaluation in rodents and non-human primates

AU Parker, Suezanne E.; Vahlsing, H. Lee; Serfilippi, Laurie M.; Franklin, Craig L.; Doh, Soeun G.; Gromkowski, Stanislaw H.; Lew, Denise; Manthorpe, Marston; Norman, Jon

CS Vical Inc., San Diego, CA, 92121, USA

SO Human Gene Therapy (1995), 6(5), 575-90

CODEN: HGTHE3; ISSN: 1043-0342

DT Journal

LA English

AB To evaluate the safety of a plasmid DNA-lipid complex, a series of good laboratory practice (GLP) safety studies were conducted with VCL-1005, a plasmid

DNA expression vector containing both the human class I MHC HLA-B7 heavy-chain and the β 2-microglobulin (β 2m) light-chain genes formulated with the cationic lipid, DMRIE/DOPE. In mice, the repeated i.v. injection of VCL-1005 at plasmid DNA doses of 0.1, 1.0, or 10 μ g for 14 days had only incidental effects on clin. chemical and hematol., and did not result in any organ pathol. Repeated intrahepatic injections of VCL-1005 in mice did not result in significant liver histopathol. or significant alterations in liver enzymes. In cynomolgus monkeys, the repeated i.v. administration of VCL-1005 at a cumulative dose of 720 μ g of DNA had no effects on clin. chemical, hematol., or organ pathol. Thus, systemic administration of a plasmid DNA expression vector containing the coding sequence for a foreign MHC class I mol. did not result in significant toxicity or a pathol. immune response in animals. These results suggest that the direct transfer of VCL-1005, a plasmid DNA-lipid complex, could be used for the safe in vivo delivery of recombinant DNA for a cancer gene therapy trial.


IT 153312-64-2D, complexes with plasmid DNA

RL: ADV (Adverse effect, including toxicity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(safety evaluation in rodents and non-human primates for cancer gene therapy using plasmid DNA-lipid complex)

RN 153312-64-2 CAPLUS

CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-, bromide (9CI) (CA INDEX NAME)



L13 ANSWER 28 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1995:354446 CAPLUS

DN 122:133867

TI Preparation of peptide derivatives as cancer metastasis inhibitors

IN Mori, Hideto; Komazawa, Hiroyuki; Kojima, Masayoshi; Saiki, Ikuo; Azuma, Ichiro

PA Fuji Photo Film Co Ltd, Japan

SO Jpn. Kokai Tokkyo Koho, 9 pp.

CODEN: JKXXAF

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	JP 06321987	A2	19941122	JP 1993-111717	19930513
PRAI	JP 1993-111717		19930513		
OS	MARPAT 122:133867				
AB	Z:C(X-Tyr-Ile-Gly-Ser-Arg-Y)2 (I; X = absent, Glu, Asp; Y = OH, NR1R2; wherein R1, R2 = H, C1-8 alkyl or NR1R2 forms a ring; Z = O, S) and pharmacol. acceptable salts thereof, which are related to the cell-adhesion core sequence (Tyr-Ile-Gly-Ser-Arg) of cell-adhesion protein laminin, sufficiently maintain cell adhesion protein-like activity, and show high stability in blood, are prepared A cancer metastasis inhibitor contains the peptide I or pharmacol. acceptable salt thereof. Thus, I (Z = O, X = Asp, Y = NHPr) was prepared by the solution method and in vivo decreased the colony formation of B16-BL6 melanoma cells in lungs of mice from 238±84 (no colonies in control animal) to 76±30 vs. 155±72 for H-Tyr-Ile-Gly-Ser-Arg-NH2.				
IT	107-10-8, Propylamine, reactions RL: RCT (Reactant); RACT (Reactant or reagent) (reaction in preparation of peptide derivs. related to cell-adhesion core sequence of laminin as cancer metastasis inhibitors)				
RN	107-10-8	CAPLUS			
CN	1-Propanamine (9CI)	(CA INDEX NAME)			

H₃C-CH₂-CH₂-NH₂

L13 ANSWER 29 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN

AN 1992:549670 CAPLUS

DN 117:149670

TI Increased exposure to dietary amines and nitrate in a population at high risk of esophageal and gastric cancer in Kashmir (India)

AU Siddiqi, Maqsood; Kumar, Rajiv; Fazili, Zia; Spiegelhalder, Bertold; Preussmann, Rudolf

CS Dep. Biochem., Univ. Kashmir, Srinagar, India

SO Carcinogenesis (1992), 13(8), 1331-1335

CODEN: CRNGDP; ISSN: 0143-3334

DT Journal

LA English

AB Anal. data on aliphatic amines and nitrate from the most commonly used fresh and sun-dried vegetables, red chilies and a widely consumed beverage, salted tea, are presented from a high risk area for esophageal and gastric cancer in Kashmir. Exposure ests. for the adult population show that high consumption of boiled Brassica vegetables leads to a high nitrate intake of 237 mg/day. The frequent consumption of hot salted tea results in exceptionally high exposure to methylamine (1200 µg/day), ethylamine (14,320 µg/day), dimethylamine (150 µg/day) and diethylamine (400 µg/day). The indiscriminate use of red chilies in the area leads to exposure to dimethylamine (280 µg/day), pyrrolidine (517 µg/day) and methylbenzylamine (40 µg/day). This is the first report where a chronic exposure to methylbenzylamine has been shown in a population at high risk of esophageal cancer.

IT 107-10-8, Propylamine, biological studies

RL: OCCU (Occurrence)


(of food, of Kashmir, cancer in relation to)

RN 107-10-8 CAPLUS

CN 1-Propanamine (9CI) (CA INDEX NAME)

H₃C-CH₂-CH₂-NH₂

L13 ANSWER 30 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1978:610125 CAPLUS
 DN 89:210125
 TI N-nitroso compounds from the reaction of primary amines with nitrite and thiocyanate
 AU Tannenbaum, S. R.; Wishnok, J. S.; Hovis, J. S.; Bishop, W. W.
 CS Dep. Nutr. Food Sci., Massachusetts Inst. Technol., Cambridge, MA, USA
 SO IARC Scientific Publications (1978), 19(Environ. Aspects N-Nitroso Compd.), 155-9
 CODEN: IARCCD; ISSN: 0300-5038
 DT Journal
 LA English
 GI



AB 1-Adamantylamine (I) [768-94-5], 2-adamantylamine [13074-39-0], aniline [62-53-3], butylamine [109-73-9], 2-octylamine [693-16-3], and propylamine [107-10-8] reacted with NaNO₂ to give products detectable by a thermal energy analyzer (TEA) after gas chromatog. implying N-nitroso derivs. may have been formed. KSCN [333-20-0] enhanced the reaction and led to the formation of other TEA-pos. products. Butylamine was converted to N-nitrosodibutylamine [924-16-3] and N-nitrosobutylcyanamide [68217-73-2] during the KSCN-catalyzed nitrosation. N-nitrosotriazenes apparently resulted when butylamine and 2-adamantylamine were employed in the reaction. Since both nitrate and thiocyanate are present in human saliva and primary amines are widely distributed in foods these reactions are of potential significance in human cancer.


L13 ANSWER 31 OF 31 CAPLUS COPYRIGHT 2006 ACS on STN
 AN 1978:99314 CAPLUS
 DN 88:99314
 TI Platinum-containing materials useful in treating malignant tumors
 IN Tobe, Martin Leslie; Khokhar, Abdul Rauf; Braddock, Peter David Michael
 PA Rustenburg Platinum Mines Ltd., S. Afr.
 SO Ger. Offen., 21 pp.
 CODEN: GWXXBX

DT Patent
 LA German

FAN. CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	DE 2715492	A1	19771020	DE 1977-2715492	19770406
	DE 2715492	C2	19890914		
	GB 1585103	A	19810225	GB 1976-13888	19760406
	ZA 7702020	A	19781227	ZA 1977-2020	19770404
	NL 7703752	A	19771010	NL 1977-3752	19770405
	FR 2347378	A1	19771104	FR 1977-10204	19770405
	FR 2347378	B1	19810320		
	US 4119653	A	19781010	US 1977-784797	19770405
	BE 853296	A1	19770801	BE 1977-176461	19770406
	JP 52156821	A2	19771227	JP 1977-39902	19770406
	JP 63020805	B4	19880430		
	CH 631431	A	19820813	CH 1977-4362	19770406
	US 4182724	A	19800108	US 1978-934990	19780818
	CH 633961	A	19830114	CH 1981-1393	19810302
PRAI	GB 1976-13888	A	19760406		

US 1977-784797 A1 19770405
 CH 1977-4362 A 19770406
 OS MARPAT 88:99314
 GI



AB Pt compds. I (A, B = aliphatic amine or NH₃; X, Y = halogen or similar group) are useful for treatment of cancer and malignant tumors. For example, I(A = B = NH₃; X = Y = Cl) [31246-66-9], administered i.p. (12 mg/kg in peanut oil) to mice bearing ADJ/PC6 tumors, caused 95.4% inhibition of the tumors; the compound had a LD₅₀ of 135 mg/kg. To prepare the compds., e.g. 50 g K₂PtCl₄ in 500 mL water was mixed with 79 g KI in 200 mL water, followed by 21.5 mL propylamine [107-10-8]. The precipitated PtI₂(PrNH₂)₂ was mixed with AgNO₃ solution, the precipitated AgI was removed, and the solution treated with concentrated HCl to precipitate cis-PtCl₂(PrNH₂)₂ [21562-98-1]. Passing Cl₂ through a suspension of this compound at 70° converted it to cis-PtCl₄(PrNH₂)₂ [65634-66-4], which was further converted with H₂O₂ to cis-PtCl₂(OH)₂(PrNH₂)₂ [65613-29-8].

=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	79.33	152.18
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-9.00	-9.00

STN INTERNATIONAL LOGOFF AT 21:50:45 ON 05 MAR 2006

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptamxgl614

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 DEC 23 New IPC8 SEARCH, DISPLAY, and SELECT fields in USPATFULL/
USPAT2
NEWS 4 JAN 13 IPC 8 searching in IFIPAT, IFIUDB, and IFICDB
NEWS 5 JAN 13 New IPC 8 SEARCH, DISPLAY, and SELECT enhancements added to
INPADOC
NEWS 6 JAN 17 Pre-1988 INPI data added to MARPAT
NEWS 7 JAN 17 IPC 8 in the WPI family of databases including WPIFV
NEWS 8 JAN 30 Saved answer limit increased
NEWS 9 FEB 21 STN AnaVist, Version 1.1, lets you share your STN AnaVist
visualization results
NEWS 10 FEB 22 The IPC thesaurus added to additional patent databases on STN
NEWS 11 FEB 22 Updates in EPFULL; IPC 8 enhancements added
NEWS 12 FEB 27 New STN AnaVist pricing effective March 1, 2006
NEWS 13 FEB 28 MEDLINE/LMEDLINE reload improves functionality
NEWS 14 FEB 28 TOXCENTER reloaded with enhancements
NEWS 15 FEB 28 REGISTRY/ZREGISTRY enhanced with more experimental spectral
property data
NEWS 16 MAR 01 INSPEC reloaded and enhanced
NEWS 17 MAR 03 Updates in PATDPA; addition of IPC 8 data without attributes
NEWS 18 MAR 08 X.25 communication option no longer available after June 2006
NEWS 19 MAR 22 EMBASE is now updated on a daily basis
NEWS 20 APR 03 New IPC 8 fields and IPC thesaurus added to PATDPAFULL
NEWS 21 APR 03 Bibliographic data updates resume; new IPC 8 fields and IPC
thesaurus added in PCTFULL
NEWS 22 APR 04 STN AnaVist \$500 visualization usage credit offered
NEWS 23 APR 12 LINSPEC, learning database for INSPEC, reloaded and enhanced
NEWS 24 APR 12 Improved structure highlighting in FQHIT and QHIT display
in MARPAT
NEWS 25 APR 12 Derwent World Patents Index to be reloaded and enhanced during
second quarter; strategies may be affected

NEWS EXPRESS FEBRUARY 15 CURRENT VERSION FOR WINDOWS IS V8.01a,
CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP) ,
AND CURRENT DISCOVER FILE IS DATED 19 DECEMBER 2005.
V8.0 AND V8.01 USERS CAN OBTAIN THE UPGRADE TO V8.01a AT
<http://download.cas.org/express/v8.0-Discover/>

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * *

COMPLETE THE STN SURVEY - APRIL 27 THROUGH MAY 31

Dear valued STN customer,

In an effort to enhance your experience with STN, we would
like to better understand what you find useful. Please take
approximately 5 minutes to complete a web survey.

If you provide us with your name, login ID, and e-mail address, you

will be entered in a drawing to win a free iPod(R). Your responses will be kept confidential and will help us make future improvements to STN.

Take survey: <http://www.zoomerang.com/survey.zgi?p=WEB2259HNKWTUW>

Thank you in advance for your participation.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:54:48 ON 09 MAY 2006

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 16:55:07 ON 09 MAY 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 May 2006 VOL 144 ISS 20

FILE LAST UPDATED: 8 May 2006 (20060508/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s us 2004-0171572/pn

L1 1 US 2004-0171572/PN
(US2004171572/PN)

=> sel rn

E1 THROUGH E30 ASSIGNED

=> file reg

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	2.49	2.70

FILE 'REGISTRY' ENTERED AT 16:55:24 ON 09 MAY 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2006 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 8 MAY 2006 HIGHEST RN 883439-06-3

DICTIONARY FILE UPDATES: 8 MAY 2006 HIGHEST RN 883439-06-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 6, 2006

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

```
*****
*
* The CA roles and document type information have been removed from *
* the IDE default display format and the ED field has been added,   *
* effective March 20, 2005. A new display format, IDERL, is now    *
* available and contains the CA role and document type information. *
*
*****
```

Structure search iteration limits have been increased. See HELP SLIMITS
for details.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

<http://www.cas.org/ONLINE/UG/regprops.html>

=> s e1-e30


```
1 10332-17-9/BI
  (10332-17-9/RN)
1 107-10-8/BI
  (107-10-8/RN)
1 111333-96-1/BI
  (111333-96-1/RN)
1 153312-60-8/BI
  (153312-60-8/RN)
1 153312-64-2/BI
  (153312-64-2/RN)
1 153312-65-3/BI
  (153312-65-3/RN)
1 191980-70-8/BI
  (191980-70-8/RN)
1 191980-72-0/BI
  (191980-72-0/RN)
1 191980-74-2/BI
  (191980-74-2/RN)
1 191980-76-4/BI
  (191980-76-4/RN)
1 191980-77-5/BI
  (191980-77-5/RN)
1 191980-78-6/BI
  (191980-78-6/RN)
1 191980-79-7/BI
  (191980-79-7/RN)
1 191980-83-3/BI
  (191980-83-3/RN)
1 191981-18-7/BI
  (191981-18-7/RN)
1 50903-99-6/BI
  (50903-99-6/RN)
1 54793-75-8/BI
  (54793-75-8/RN)
1 638195-45-6/BI
  (638195-45-6/RN)
1 638195-46-7/BI
  (638195-46-7/RN)
1 638195-47-8/BI
```

(638195-47-8/RN)
 1 638195-48-9/BI
 (638195-48-9/RN)
 1 638195-49-0/BI
 (638195-49-0/RN)
 1 638195-50-3/BI
 (638195-50-3/RN)
 1 638195-51-4/BI
 (638195-51-4/RN)
 1 638195-52-5/BI
 (638195-52-5/RN)
 1 638195-53-6/BI
 (638195-53-6/RN)
 1 638195-56-9/BI
 (638195-56-9/RN)
 1 638195-58-1/BI
 (638195-58-1/RN)
 1 638195-61-6/BI
 (638195-61-6/RN)
 1 638195-64-9/BI
 (638195-64-9/RN)
 L2 30 (10332-17-9/BI OR 107-10-8/BI OR 111333-96-1/BI OR 153312-60-8/B
 I OR 153312-64-2/BI OR 153312-65-3/BI OR 191980-70-8/BI OR 19198
 0-72-0/BI OR 191980-74-2/BI OR 191980-76-4/BI OR 191980-77-5/BI
 OR 191980-78-6/BI OR 191980-79-7/BI OR 191980-83-3/BI OR 191981-1
 8-7/BI OR 50903-99-6/BI OR 54793-75-8/BI OR 638195-45-6/BI OR
 638195-46-7/BI OR 638195-47-8/BI OR 638195-48-9/BI OR 638195-49-0
 /BI OR 638195-50-3/BI OR 638195-51-4/BI OR 638195-52-5/BI OR
 638195-53-6/BI OR 638195-56-9/BI OR 638195-58-1/BI OR 638195-61-6
 /BI OR 638195-64-9/BI)

=> d 1-30

L2 ANSWER 1 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-64-9 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-[3-[[[(1S)-1-carboxy-5-(nitroamino)pentyl]amino]carbon
 yl]amino]propyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX
 NAME)
 FS STEREOSEARCH
 MF C43 H88 N5 O7
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-61-6 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-[3-[[[(1S)-1-(methoxycarbonyl)-5-
 (nitroamino)pentyl]amino]carbonyl]amino]propyl]-N,N-dimethyl-2,3-
 bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH


MF C44 H90 N5 O7
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 3 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-58-1 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Butanaminium, N-[2,3-bis(tetradecyloxy)propyl]-4-hydroxy-N,N-dimethyl-
 (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C37 H78 N O3
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 4 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-56-9 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-(3-hydroxypropyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-
 (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C36 H76 N O3
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 5 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-53-6 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Butanaminium, 4-amino-N-[2,3-bis(tetradecyloxy)propyl]-N,N-dimethyl-

(9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C37 H79 N2 O2
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 6 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-52-5 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Butanaminium, N-[2,3-bis(tetradecyloxy)propyl]-N,N-dimethyl-4-
 [[[(methylamino)carbonyl]amino]- (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C39 H82 N3 O3
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 7 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-51-4 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-(carboxymethyl)-2,3-bis(hexadecyloxy)-N,N-dimethyl-
 (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C39 H80 N O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 8 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-50-3 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Butanaminium, N-[2,3-bis(tetradecyloxy)propyl]-N,N-dimethyl-4-
 [[[(methylamino)carbonyl]oxy]- (9CI) (CA INDEX NAME)
 FS 3D CONCORD

MF C39 H81 N2 O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 9 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-49-0 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N,N-dimethyl-N-[3-[[(methylamino)carbonyl]oxy]propyl]-2,3-bis(tetradecyloxy) - (9CI) (CA INDEX NAME)
 FS 3D CONCORD
 MF C38 H79 N2 O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 10 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-48-9 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN L-Phenylalanine, N-[[[2,3-bis(tetradecyloxy)propyl]dimethylammonio]acetyl]-L-methionyl-L-leucyl-, methyl ester (9CI) (CA INDEX NAME)
 FS PROTEIN SEQUENCE; STEREOSEARCH
 MF C56 H103 N4 O7 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.




1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 11 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-47-8 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN L-Leucine, N-[[[2,3-bis(tetradecyloxy)propyl]dimethylammonio]acetyl]-L-

methionyl-, methyl ester (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C47 H94 N3 O6 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 12 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-46-7 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-[2-[(1S)-1-(methoxycarbonyl)-3-(methylthio)propyl]amino]-2-oxoethyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C41 H83 N2 O5 S
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


Absolute stereochemistry.



1 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 13 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 638195-45-6 REGISTRY
 ED Entered STN: 16 Jan 2004
 CN 1-Propanaminium, N-(carboxymethyl)-N,N-dimethyl-2,3-bis[(9Z)-9-octadecenyl]oxy]- (9CI) (CA INDEX NAME)
 FS STEREOSEARCH
 MF C43 H84 N O4
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Double bond geometry as shown.




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 14 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191981-18-7 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N,N-dimethyl-N-[3-[[{(methylamino)carbonyl]amino]propyl]-
2,3-bis(tetradecyloxy)-(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C38 H80 N3 O3
CI COM
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 15 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-83-3 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-(3-aminopropyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C36 H77 N2 O2
CI COM
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 16 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-79-7 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-(2-aminoethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C35 H75 N2 O2
CI COM
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L2 ANSWER 17 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-78-6 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-[3-[[[(1S)-4-[[imino(nitroamino)methyl]amino]-1-(methoxycarbonyl)butyl]amino]carbonyl]amino]propyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN 1-Propanaminium, N-[3-[[[4-[[imino(nitroamino)methyl]amino]-1-(methoxycarbonyl)butyl]amino]carbonyl]amino]propyl]-N,N-dimethyl-2,3-bis(tetradecyloxy)-, (1S)-
FS STEREOSEARCH
MF C44 H90 N7 O7
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 18 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-77-5 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N,N-dimethyl-N-[2-[[[(methylamino)carbonyl]oxy]ethyl]-2,3-bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C37 H77 N2 O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 19 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-76-4 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N,N-dimethyl-N-[2-[[(methylamino)carbonyl]amino]ethyl]-
2,3-bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C37 H78 N3 O3
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 20 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-74-2 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N,N-dimethyl-N-[2-oxo-2-(propylamino)ethyl]-2,3-
bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C38 H79 N2 O3
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 21 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-72-0 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-(2-ethoxy-2-oxoethyl)-N,N-dimethyl-2,3-
bis(tetradecyloxy)- (9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C37 H76 N O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL




2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 22 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 191980-70-8 REGISTRY
ED Entered STN: 01 Aug 1997
CN 1-Propanaminium, N-(carboxymethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-
(9CI) (CA INDEX NAME)
FS 3D CONCORD
MF C35 H72 N O4
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



2 REFERENCES IN FILE CA (1907 TO DATE)
2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 23 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 153312-65-3 REGISTRY
ED Entered STN: 25 Feb 1994
CN 1-Propanaminium, 2,3-bis(hexadecyloxy)-N-(2-hydroxyethyl)-N,N-dimethyl-,
bromide (9CI) (CA INDEX NAME)
MF C39 H82 N O3 . Br
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
CRN (153985-20-7)




● Br⁻

3 REFERENCES IN FILE CA (1907 TO DATE)
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 24 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
RN 153312-64-2 REGISTRY
ED Entered STN: 25 Feb 1994
CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(tetradecyloxy)-,
bromide (9CI) (CA INDEX NAME)
OTHER NAMES: .
CN DMRIE
CN N-[1-(2,3-Ditetradecyloxy)propyl]-N,N-dimethyl-N-hydroxyethylammonium


bromide
 DR 146659-77-0
 MF C35 H74 N O3 . Br
 CI COM
 SR CA
 LC STN Files: AGRICOLA, BIOSIS, CA, CAPLUS, IPA, MEDLINE, TOXCENTER,
 USPAT2, USPATFULL
 CRN (191980-81-1)



145 REFERENCES IN FILE CA (1907 TO DATE)
 7 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 145 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 25 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 153312-60-8 REGISTRY
 ED Entered STN: 25 Feb 1994
 CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis[(9Z)-9-octadecenyl-
 oxy]-, bromide (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN 1-Propanaminium, N-(2-hydroxyethyl)-N,N-dimethyl-2,3-bis(9-octadecenyl-
 oxy)-, bromide, (Z,Z)-
 OTHER NAMES:
 CN DORIE
 FS STEREOSEARCH
 MF C43 H86 N O3 . Br
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 CRN (153985-18-3)

Double bond geometry as shown.




10 REFERENCES IN FILE CA (1907 TO DATE)
 10 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 26 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 111333-96-1 REGISTRY
 ED Entered STN: 14 Nov 1987
 CN L-Phenylalanine, L-methionyl-L-leucyl-, methyl ester (9CI) (CA INDEX
 NAME)
 OTHER CA INDEX NAMES:

CN L-Phenylalanine, N-(N-L-methionyl-L-leucyl)-, methyl ester
 FS STEREOSEARCH
 MF C21 H33 N3 O4 S
 CI COM
 SR CA
 LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL
 (*File contains numerically searchable property data)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 27 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 54793-75-8 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN L-Leucine, L-methionyl-, methyl ester (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN L-Leucine, N-L-methionyl-, methyl ester
 FS STEREOSEARCH
 MF C12 H24 N2 O3 S
 CI COM
 LC STN Files: BEILSTEIN*, CA, CAPLUS, TOXCENTER, USPATFULL
 (*File contains numerically searchable property data)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

2 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 28 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 50903-99-6 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN L-Ornithine, N5-[imino(nitroamino)methyl]-, methyl ester (9CI) (CA INDEX NAME)
 OTHER NAMES:

CN L-NAME
 CN L-NAME
 CN N-Nitro-L-arginine methyl ester
 CN Nω-Nitro-L-arginine methyl ester
 CN Nω-Nitro-L-arginine methyl ester
 CN NAME
 CN NG-Nitro-L-arginine Me ester
 CN NG-Nitro-L-arginine methyl ester
 FS STEREOSEARCH
 DR 162715-84-6, 126265-24-5, 189639-12-1
 MF C7 H15 N5 O4
 CI COM
 LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, BEILSTEIN*, BIOSIS,
 BIOTECHNO, CA, CAPLUS, CASREACT, CHEMCATS, CIN, EMBASE, IFICDB, IFIPAT,
 IFIUDB, IPA, MEDLINE, PROMT, PROUSDDR, RTECS*, SCISEARCH, TOXCENTER,
 USPAT2, USPATFULL
 (*File contains numerically searchable property data)

Absolute stereochemistry.




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1982 REFERENCES IN FILE CA (1907 TO DATE)
 6 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 1987 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 29 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN
 RN 10332-17-9 REGISTRY
 ED Entered STN: 16 Nov 1984
 CN L-Methionine, methyl ester (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Methionine, methyl ester, L- (6CI, 7CI, 8CI)
 OTHER NAMES:
 CN (+)-L-Methionine methyl ester
 CN L-Methionine O-methyl ester
 CN Methionine methyl ester
 CN Methyl L-methioninate
 CN Methyl methioninate
 CN O-Methyl-L-methionine
 FS STEREOSEARCH
 DR 10331-68-7, 44898-04-6
 MF C6 H13 N O2 S
 CI COM
 LC STN Files: AGRICOLA, ANABSTR, BEILSTEIN*, BIOSIS, CA, CAOLD, CAPLUS,
 CASREACT, CHEMCATS, CHEMLIST, DDFU, DRUGU, EMBASE, GMELIN*, IFICDB,
 IFIPAT, IFIUDB, MEDLINE, TOXCENTER, USPAT2, USPATFULL
 (*File contains numerically searchable property data)
 Other Sources: EINECS**
 (**Enter CHEMLIST File for up-to-date regulatory information)

Absolute stereochemistry. Rotation (+).



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

373 REFERENCES IN FILE CA (1907 TO DATE)
 8 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 374 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 3 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L2 ANSWER 30 OF 30 REGISTRY COPYRIGHT 2006 ACS on STN

RN 107-10-8 REGISTRY

ED Entered STN: 16 Nov 1984

CN 1-Propanamine (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Propylamine (8CI)

OTHER NAMES:

CN 1-Aminopropane

CN 1-Propylamine

CN Mono-n-propylamine

CN Monopropylamine

CN n-Propylamine

CN NSC 7490

CN Propan-1-ylamine

FS 3D CONCORD

DR 42939-71-9

MF C3 H9 N

CI COM

LC STN Files: AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*, BIOSIS, BIOTECHNO, CA, CAOLD, CAPLUS, CASREACT, CBNB, CHEMCATS, CHEMINFORMRX, CHEMLIST, CHEMSAFE, CIN, CSCHM, CSNB, DDFU, DETHERM*, DRUGU, EMBASE, ENCOMPLIT, ENCOMPLIT2, ENCOMPPAT, ENCOMPPAT2, GMELIN*, HSDB*, IFICDB, IFIPAT, IFIUDB, MRCK*, MSDS-OHS, NAPRALERT, PDLCOM*, PIRA, PROMT, PS, RTECS*, SPECINFO, SYNTHLINE, TOXCENTER, TULSA, ULIDAT, USPAT2, USPATFULL, VTB
 (*File contains numerically searchable property data)

Other Sources: DSL**, EINECS**, TSCA**

(**Enter CHEMLIST File for up-to-date regulatory information)

H₃C-CH₂-CH₂-NH₂

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

8880 REFERENCES IN FILE CA (1907 TO DATE)
 538 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 8907 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 6 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

57.88

60.58

FILE 'CAPLUS' ENTERED AT 16:56:53 ON 09 MAY 2006

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 9 May 2006 VOL 144 ISS 20
FILE LAST UPDATED: 8 May 2006 (20060508/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

```
=> s 146659-77-0/rn
      0 146659-77-0
      0 146659-77-0D
L3      0 146659-77-0/RN
          (146659-77-0 (NOTL) 146659-77-0D )
```

```
=> s 146659-77-0/dr
'DR' IS NOT A VALID FIELD CODE
L4      0 146659-77-0/DR
```

```
=> s 146659-77-0/rn
      0 146659-77-0
      0 146659-77-0D
L5      0 146659-77-0/RN
          (146659-77-0 (NOTL) 146659-77-0D )
```

=>

---Logging off of STN---

=>
Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
FULL ESTIMATED COST	ENTRY	SESSION
	8.72	69.30

STN INTERNATIONAL LOGOFF AT 16:57:58 ON 09 MAY 2006